

# KITCHEN EQUIPMENT



**REFRIGERATORS  
FRIDGE/FREEZERS  
COOLBOXES  
VENTILATION**

**April 2012**

## RAINBOW CONVERSIONS

**For all your motorhome needs  
01945 585931**

**1 SERIES****RM 122 Slim fridge for old & new campervans**

A compact classic that have stood the test of time: Dometic RM 122 absorption fridges are very popular with the owners of vintage campervans, such as VW split screen, bay window or VW T25. The predecessor models they are replacing have been installed millions of times over. Just 380 mm wide, Dometic RM 122 are the smallest RV absorption refrigerators ever built worldwide. It will easily fit in the tight kitchenettes of most campervan conversions, old and new.

Slim size – ideal for tight campervan kitchens, Gas operation with Piezo ignition, Door with magnetic seal and security latch, Flexible arrangement of shelves, Thermostatic control for gas operation.

**Technical Data:**

Door type: Single door

Capacity: 28 Litre

Dimensions: Height 585 x Width 380 x Depth 440mm

Weight: 15Kg

Energy consumption @amb temp 25°C (kWh/24h): 1.5

Energy consumption 12V @amb temp 25°C (Ah/24h): 1.3

Max input 12v: 75w

Max input gas: 8.6 g/h

**RM122      £349.00**

**RM 123 Absorption fridge for the smallest of places**

A compact classic that have stood the test of time: Dometic RM 123 absorption fridge is very popular with the owners of vintage campervans, such as VW split screen, bay window or VW T25. The predecessor models they are replacing have been installed millions of times over. Just 380 mm wide, Dometic RM 123 are the smallest RV absorption refrigerators ever built worldwide. It will easily fit in the tight kitchenettes of most campervan conversions, old and new. RM 123 copes with 12 volts DC, gas as well as mains power and comes with an electronic re-ignition device which automatically relights the flame if blown out.

**Technical Data:**

Door type: Single door

Capacity: 28 Litre

Dimensions: Height 585 x Width 380 x Depth 440mm

Weight: 15Kg

Energy consumption 12V @amb temp 25°C (Ah/24h): 1.3

Energy consumption gas (g/24h): 140

Energy consumption 230V @amb temp 25°C (kWh/24h): 1.3

Max input 12v: 75w

Max input 230v: 75w

Max input gas: 8.6 g/h

**RM123      £385.00**



## 5 SERIES

### RM 5310 Single door standard model with battery ignition

The new RM 5310 featuring contemporary looks and an illuminated interior in ice-blue. Cooling capacity: refrigerator +7°C, freezer compartment down to -12°C at ambient temperatures up to 32°C (corresponds to climate class SN). RM 5310 features a separate freezer compartment, battery-powered ignition system and thermostat regulation in 230-volt and gas mode. LED interior light, User-friendly control panel, Flexible shelf system with practical door trays, Door with magnetic seal, Reversible door hinges, Battery-powered ignition unit, Thermostat regulation in 230-volt and gas mode, Door lock with vent option, Integrated gas galvanometer.

#### Technical Data:

Door type: Single door  
Capacity: 60 Litre  
Freezer Volume: 5 Litre  
Dimensions: Height 618 x Width 486 x Depth 474mm  
Weight: 20Kg  
Energy consumption 230V @amb temp 25°C (kWh/24h): 2.5  
Energy consumption gas (g/24h): 270  
Max input 12v: 120w  
Max input 230v: 125w  
Max input gas: 18.3 g/h

**RM5310 £545.00**



### RM 5330 Single door wheel arch model with battery ignition



The new RM 5330 featuring contemporary looks and an illuminated interior in ice-blue. Cooling capacity: refrigerator +7°C, freezer compartment down to -12°C at ambient temperatures up to 32°C (corresponds to climate class SN). RM 5330 features a separate freezer compartment, battery-powered ignition system and thermostat regulation in 230-volt and gas mode. LED interior light, User-friendly control panel, Flexible shelf system with practical door trays, Door with magnetic seal, Reversible door hinges, Battery-powered ignition unit, Thermostat regulation in 230-volt and gas mode, Door lock with vent option, Integrated gas galvanometer.

#### Technical Data:

Door type: Single door  
Capacity: 70 Litre  
Freezer Volume: 5 Litre  
Dimensions: Height 821 x Width 486 x Depth 474mm  
Weight: 22Kg  
Energy consumption 230V @amb temp 25°C (kWh/24h): 2.5  
Energy consumption gas (g/24h): 270  
Max input 12v: 120w  
Max input 230v: 125w  
Max input gas: 18.3 g/h

**RM5330 £605.00**





### RM 5380 Single door standard model with battery ignition

The new RM 5380 featuring contemporary looks and an illuminated interior in ice-blue. Cooling capacity: refrigerator +7°C, freezer compartment down to -12°C at ambient temperatures up to 32°C (corresponds to climate class SN). RM 5380 features a separate freezer compartment, battery-powered ignition system and thermostat regulation in 230-volt and gas mode. LED interior light, User-friendly control panel, Flexible shelf system with practical door trays, Door with magnetic seal, Reversible door hinges, Battery-powered ignition unit, Thermostat regulation in 230-volt and gas mode, Door lock with vent option, Integrated gas galvanometer.

#### Technical Data:

Door type: Single door

Capacity: 80 Litre

Freezer Volume: 5 Litre

Dimensions: Height 821 x Width 486 x Depth 474mm

Weight: 24Kg

Energy consumption 230V @amb temp 25°C (kWh/24h): 2.5

Energy consumption gas (g/24h): 270

Max input 12v: 120w

Max input 230v: 125w

Max input gas: 18.3 g/h

**RM5380 £599.00**



## 8 SERIES


### RM8400 / RM8401

**Gross capacity** 95 Ltrs (freezer compartment 8 ltrs). **Energy supply:** 12, 230v & gas. **Input rating** 125w (230v), 120w (12v) & 18.3. g/h (gas). **Consumption:** 2.0 to 2.2kwh/24h (230v/12v), 250 to 270 g/24h (gas).

**Colour:** Black-grey cabinet, silver-grey door. **Dimensions:** 821H x 486W x 569D. **Weight:** 27.5kg. **Quality features:** Patented removable freezer compartment, fingertip door opening, interior light, door with magnetic seal, replaceable door seals, door locking with vent option, user-friendly control panel, flexible arrangement of shelves, ergonomic door shelves with leakage protection. **RM8400:** Gas operation with battery powered ignition, thermostatic control for 230V and gas operation. **RM8401:** Manual Energy Selector (MES) with electronic gas ignition, thermostatic control for all operating mode.

**RM8400 £799.00**


**RM8401 £849.00**





## RM 8500 / RM8501 / RM8505

**Gross capacity:** 106 Ltrs (freezer compartment 9 ltrs). **Energy supply:** 12v, 240v & gas, **Input rating:** 135w (230v), 130w (12v) & 18.3. g/h (gas). **Consumption:** 2.0 to 2.2kwh/24h (230v/12v), 250 to 270 g/24h (gas). **Colour:** Black-grey cabinet, silver grey door. **Dimensions:** 821H x 523W x 569D. **Weight:** 27.8kg. **Quality features:** Patented freezer compartment, fingertip door opening, interior light, door with magnetic seal, replaceable door seals, door locking with vent option, user-friendly control panel, flexible arrangement of shelves, ergonomic door shelves with leakage protection. **RM8500:** Gas operation with battery powered igniter, thermostatic control for 230V and gas operation. **RM8501:** Manual Energy Selector (MES) with electronic gas ignition, thermostatic control for all operating modes. **RM8505:** Automatic Energy Selector (AES) with electronic gas ignition, thermostatic control for all operating modes.




**RM 8500 £815.00**

**RM 8501 £799.00**

**RM 8505 £1049.00**

## RMS 8500 / RMS 8501

**Gross capacity:** 96 Ltrs (freezer compartment 9 ltrs). **Energy supply:** 12v, 240v & gas, **Input rating:** 125w (230v), 120w (12v) & 18.3. g/h (gas). **Consumption:** 2.0 to 2.2kwh/24h (230v/12v), 250 to 270 g/24h (gas). **Colour:** Black-grey cabinet, silver-grey door. **Dimensions:** 821H x 523W x 568D, wheel-arch cut out. **Weight:** 25.5kg. **Quality features:** Patented freezer compartment, fingertip door opening, interior light, door with magnetic seal, replaceable door seals, door locking with vent option, user-friendly control panel, flexible arrangement of shelves, ergonomic door shelves with leakage protection. **RMS8500:** Gas operation with battery powered igniter, thermostatic control for 230V and gas operation. **RMS8501:** Manual Energy Selector (MES) with electronic gas ignition, thermostatic control for all operating modes.




**RMS 8500 £799.00**

**RMS 8501 £839.00**

## RMS 8400 / RMS 8401

**Gross capacity:** 85 Ltrs (freezer compartment 8 ltrs). **Energy supply:** 12v, 240v & gas, **Input rating:** 125w (230v), 120w (12v) & 18.3. g/h (gas). **Consumption:** 2.0 to 2.2kwh/24h (230v/12v), 250 to 270 g/24h (gas). **Colour:** Black-grey cabinet, silver-grey door. **Dimensions:** 821H x 486W x 568D, wheel-arch cutout. **Weight:** 25kg. **Quality Features:** Patented freezer compartment, fingertip door opening, interior light, door with magnetic seal, replaceable door seals, door locking with vent option, user-friendly control panel, flexible arrangement of shelves, ergonomic door shelves with leakage protection. **RMS8400:** Gas operation with battery powered ignition, thermostatic control for 230V and gas operation. **RMS8401:** Manual Energy Selector (MES) with electronic gas ignition, thermostatic control for all operating modes.



**RMS8400 £780.00**

**RMS8401 £830.00**

## N80

Thetford's most compact absorption refrigerator. This Deluxe - MEC refrigerator with piezo ignition can even work using only gas - without being electrically connected. If you select gas, you press the Ignition button until the flame appears.

**Features** Piezo ignition, Securely closed door, Flexible bottle slide, 2 flexible door bins, 2 flexible shelves, Flame indicator.

### Technical Specification

Dimensions: H821 x W486 x D543mm  
Recommended built in depth: 515-550mm

Total Volume: 81 Litre

Wheel Arch model

Door shape: Flat

Door version: Framed, right hanging

Usable power source: 12v/230v/gas

Operation: Manual energy control

Type of gas valve: Manual

Ignition: Piezo (manual)

Display: Flame meter

Energy consumption (kwh/24h): 2.5

Energy consumption gas (g/24h): 300

Max input 12v: 140w

Max input 230v: 153w

Max input gas: 18.2 g/h

Weight: 23Kg

**628196 £655.00**



## N100

A compact absorption refrigerator with a larger freezer. The desired energy source is selected manually for this Premium LCD refrigerator with electric ignition. The flame will then be ignited electrically.

**Features:** Electric ignition, Unique LCD display, Defrost cycle and elf-diagnosis, Securely closed door, Flexible bottle slide, 2 flexible door bins, 2 flexible shelves, Flame indicator.

### Technical Specification

Dimensions: H821 x W525 x D543mm

Recommended built in depth: 515-550mm.

Total Volume: 97 Litre

Volume freezer: 11 Litres

Wheel Arch model

Door shape: Flat

Door version: Framed, right hanging

Usable power source: 12v/230v/gas

Operation: Electric energy control

Type of gas valve: Electric

Ignition: Electric

Display: LCD

Energy consumption (kwh/24h): 2.8

Energy consumption gas (g/24h): 330

Max input 12v: 140w

Max input 230v: 153w

Max input gas: 18.2 g/h

Weight: 29Kg

**628197 £815.00**



## N145

A large, double-door absorption refrigerator. The Smart Energy Selection (SES) system automatically chooses the best available energy source. If it selects gas, the gas will be ignited electrically.

**Features:** Electric ignition, Unique LCD display, Defrost cycle and elf-diagnosis, Securely closed door, Flexible bottle slide, 3 flexible door bins, 3 flexible shelves, Flame indicator.

### Technical Specification

Dimensions: H1245 x W525 x D543mm

Recommended built in depth: 515-550mm.

Total Volume: 141 Litre

Volume freezer: 23 Litres

Door shape: Flat

Door version: Framed, right hanging

Usable power source: 12v/230v/gas

Operation: Smart Energy Selection

Type of gas valve: Electric

Ignition: Electric

Display: LCD

Energy consumption (kwh/24h): 4.0

Energy consumption gas (g/24h): 420

Max input 12v: 190w

Max input 230v: 220w

Max input gas: 22.9 g/h

Weight: 38Kg

**628198 £1199.00**



## COMPRESSOR FRIDGE/FREEZERS

# WAECO

### Coolmatic CR Range

**System:** Fully hermetic compressor with integrated control electronics, low-voltage protection / electronic fuse, automatic reverse pole protection, mechanical, continuously variable thermostat, Condensation drainage via hose connection or collection tank, 4 installation points for fastening from inside.

**Material:** Body: with coated metal frame, Interior: Plastic, Door frame: Plastic, Fittings: Stainless steel.

**Colour:** Body: black, Door frame: Silver, Door panel: Matt-silver (brushed stainless steel appearance)

**Benefits:** Standard refrigeration and separately insulated \*\*\*freezer compartment, tropical-rated, suitable for solar operation, condensation drainage via hose connection or collection tank, 4 installation points for fastening from inside, easy-to-change door panel, standard or flush mount frame available as accessory.



#### CR-50 Fridge/Freezer

12 / 24 volt, capacity 48 litres including 5 litre freezer compartment, 380W x 534H x 500D mm (without frame), weight 19kg, power consumption 40 watts approx.

**CR-0050E      £459.00**

#### CR-65 Fridge/Freezer

12 / 24 volt, capacity 64 litres including 7.2 litre freezer compartment, 448W x 525H x 545D mm (without frame), weight 20kg, power consumption 45 watts approx.

**CR-0065E      £519.00**

#### CR-80 Fridge/Freezer

12 / 24 volt, capacity 80 litres including 7.9 litre freezer compartment, 475W x 640H x 528D mm (without frame), weight 23kg, power consumption 48 watts approx.

**CR-0080E      £555.00**

#### CR-110 Fridge/Freezer

12 / 24 volt, capacity 108 litres including 10.2 litre freezer compartment, 520W x 745H x 558D mm (without frame), weight 28kg, power consumption 50 watts approx.

**CR-0110E      £599.00**

#### CR-140 fridge/Freezer

12 / 24 volt, capacity 136 litres including 11.5 litre freezer compartment, 525W x 805H x 619D mm, (without frame) weight 32kg, power consumption 65 watts approx.

**9105600002      £699.00**

#### CRP40 fridge/Freezer

12 / 24 volt, capacity 39 litres including 5.3 litre freezer compartment, 380W x 536H x 545 mm, (without frame) weight 18kg, power consumption 40 watts approx.

**9105600001      £505.00**

**Standard or flush mounting frames are available on request**



## Coolmatic MDC Range

You want to switch from a pre-installed absorption unit to a compressor refrigerator? Then the WAECO CoolMatic MDC appliances are the perfect fit – their exterior dimensions correspond exactly to those of common absorption units. And at identical dimensions, they even provide a substantially higher usable volume. Featuring tried and tested compressor technology, they achieve outstanding cooling performance – even at extreme ambient temperatures and in an inclined position.

**System:** Fully hermetic compressor with integrated control electronics, low-voltage protection / electronic fuse, automatic reverse pole protection, mechanical, continuously variable thermostat.

**Material:** Body: with coated metal frame, Interior: Plastic, Door frame: Plastic, Fittings: Stainless steel.

**Colour:** Body: grey, Door frame: grey, Door panel: pale grey.

**Benefits:** Interior light, door with magnetic seal, variable door mounts and locks right/left, door with double lock (top/bottom) and dual function (locking/ventilation), separately insulated \*\*\* freezer compartment, additional, foamed rear-wall evaporator in the interior, easy-to-change decor panel.



### Coolmatic MDC-50 fridge **Camper fridge with intelligent dimensions**

12 / 24 volt, capacity 43 litres including 4 litre freezer compartment, 425W x 565H x 445D mm, weight 15kg, power consumption 45 watts approx.

**100483    £639.00**

Ventilation panel available, Please enquire.

### Coolmatic MDC-65 fridge **Camper fridge with intelligent dimensions**

12 / 24 volt fridge, capacity 64 litres including 10 litre freezer compartment, 485W x 618H x 475D mm, weight 20kg, power consumption 45 watts approx.

**100484    £765.00**

Ventilation panel available, Please enquire.

### Coolmatic MDC-90 fridge

12 / 24 volt, capacity 90 litres including 10 litre freezer compartment, 485W x 830H x 475D mm, weight 28kg, power consumption 45 watts approx.

**100486**

**£769.00**

### Coolmatic MDC-110 fridge

12 / 24 volt fridge, capacity 110 litres including 13 litre freezer compartment, 525W x 805H x 547D mm, weight 30.5kg, power consumption 45 watts approx.

**100487**

**£815.00**

## 12V COOLBOXES

# CAMPINGGAZ

### Powerbox® range

The Campinggaz® Powerbox® range has a cooler to suit every occasion. The thermo-electric capability provides active cooling and some models even heat up to 65°C. The long cable length allows the cooler to be placed in the back of the car.

#### **Range features**

- Operates off 12Vdc car cigarette lighter
- Warm and cold functions (not all models)
- Cooling performance: 16 - 25°C below ambient temperature
- Cable length: 2.75m
- Can be used in 230Vac mode with a 230Vac/12Vdc transformer (sold separately)

#### **Powerbox® 36L Classic**

Large capacity thermo-electric cooler which can be used vertically or horizontally, perfect for families or groups.

Holds 3x 1.5L bottles vertically  
1 plastic grid shelf  
Cools to: 18°C below ambient temperature  
Capacity: 36L  
Weight: 5.8kg

**68669      £92.99**



#### **Powerbox® 28L Deluxe**

The Powerbox® 28L Deluxe not only cools to 16°C below the ambient temperature but it also heats to 65°C. An additional lightweight lid is also provided for extra convenience.



Holds 2x 1.5L bottles  
Handy drinks holders in lid  
Additional lightweight lid  
Brushless motor  
Cable storage compartment  
Integrated battery control system prevents car batter from draining  
Detachable and reversible plug  
Operates off: 12Vdc (or mains, adaptor sold separately)  
Cools to: 16°C below ambient temperature  
Heats to: 65°C  
Capacity: 28L  
Weight: 4.3kg

**204110      £59.99**

#### **Powerbox® 24L Classic**

Cooling to 16°C below the ambient temperature, it is great to keep drinks and food cool.

Cable storage compartment  
Operates off: 12Vdc (or mains, adaptor sold separately)  
Cools to: 16°C below the ambient temperature  
Capacity: 24L  
Weight: 3.5kg

**68679      £49.99**



### E40 Electric 12v Roll Cooler

12v adaptor for vehicles, 2 wheels & flat folding handle, can be used standing upright as a conventional fridge, water drainage with interior light, 379 wide x 390 high x 510mm deep



776210

£109.99

### Mobicool U26

Capacity 26 litres, holds upto 2 litre bottles standing, very sturdy construction, generous insulation with K-Iso system.  
12v DC or 240V AC, size: L39.6 x W29.6 x H39.5cm.



U26 £44.99

## Passive Coolboxes



### Coleman Xtreme® Coolers

Coolers that provide superior cold retention thanks to their thick-wall, high performance PU insulation, you can keep ice cold for up to 5 days, even when temperatures soar as high as 32°C. Perfect for a family at the campsite, these coolers are in it for the long haul and are also ideal companions should a party run a little longer than intended!

### Coleman 36-Quart Xtreme® Cooler

Capacity: 34L  
Hinged lid with deep beverage holders  
Lid takes elastic cords for additional dry storage  
Rustproof, leak-resistant channel drain for no-tilt draining  
Two-way handles for easier lifting and storing  
Cooling performance: 5 days  
Dimensions: 66 x 36.8 x 36.8 cm  
Holds: 46 cans

202415

£59.99



### Coleman 50-Quart Xtreme® Wheeled Cooler

Capacity: 48L  
Hinged lid with deep beverage holders  
Lid takes elastic cords for additional dry storage  
Rustproof, leak-resistant channel drain for no-tilt draining  
Moulded handles for easier lifting and storing  
Telescopic handle  
Large wheels for easy manoeuvrability  
Cooling performance: 5 days  
Dimensions: 66 x 42 x 47.5 cm  
Holds: 84 cans

205236

£74.99



### Campingaz Freezpack M20

Freez'Pack® units can be used in every coolbox or soft cooler to keep food and drinks cooler for longer. They're available in a range of sizes and shapes, and the bigger they are, the longer they stay cool. Ideal for keeping drinks, food or medicines cool for longer in your passive cooler. They are dishwasher proof and reusable.

9378

£3.49



## 12V & 240V COOLBOXES

### Dometic B40 Thermo-Electric Coolbox / Freezer

Two cooling systems in one box! Continuously variable temperature from +12 deg C to -15 deg C in compressor mode, recessed side grips for convenient transport, 230 volts AC normal/deep freezing (compressor), 12 volts DC normal cooling (thermo-electrics). Large 40 Litre capacity. Dimensions: (L x W x H) 520 x 510 x 450mm.

**000B40**

**£219.99**



### Waeco MB40 Coolfun Thermo-electric Cooler

Large 40 Litre capacity, integrated sound system with MP3 player connection, sturdy aluminium housing, stable fold out spring-mounted handles, two-part lid to stop the cold from escaping, cable compartment integrated in the lid, Voltage - 12 volts DC & 230 volts AC, cooling up to 22°C below ambient temperature. Dimensions: Width 580 x Height 440 x Depth 390mm.

**000MB40**

**£249.99**



## 12V, 240V & GAS COOLBOXES

### Dometic Combicool RC2200 EGP

41 litre absorption cooler with aluminium housing, 230v AC, 12v DC & gas. Input rating: 230v/12v: 85watts. Gas: 10.6 g/h. Features: Piezo ignition, thermostat regulation in 230v mode, 3-stage flame regulation in gas mode, vertical space for 1.5 & 2 litre bottles, sturdy cabinet & ice cube tray. Size: 444 high x 500 wide x 487mm deep.

**Rc2200**

**£239.99**



### Royal 3-way Absorption cooler



42 litre absorption fridge runs on gas / 12v or mains. The cooler runs on a powerfull 90W AC/DC unit, without a fan so is noise free. Cooling temperature can be regulated, cools down to 25 degrees below ambient temperature. Size: 600 high x 300 wide x 460mm deep, weight: 17.7kg.

**772850**

**£169.99**

### Fridge fan

The turning speeds of both fans is electronically controlled through a temperature sensor. 260 x 100 x 25mm



**7164010 £29.99**

### Fridge Cooling fan kit

Universal ventilator with heat sensor

**R-0012**

**£26.99**



### Dometic fridge vent system (L100 & L200)

Mounting frame with vent grill, winter covers included. Aperture size : 451 x 156mm, Grill size 479 x 185, white.

**Complete vent system L100200 £45.99**  
**Top vent only (inc cover) L100 £23.99**  
**Bottom vent only (inc cover) L200 £23.99**  
**Winter covers only (2) 3322 £13.99**



### Dometic LS300 fridge vent & winter cover

The ventilation system consists of a mounting frame, ventilation grille and a winter cover. Cut-out dimensions—mounting frame: 273 H x 514mm W. External dimensions—ventilation grille: 277 H x 518 W



**031313**

**£25.99**

### Thetford SR Vent

Overall size 482 x 185mm.  
Hole size required 447 x 152mm.  
Colour: White  
**596278 £29.99**



### MPK Fridge Vent Recessed Fit

**50391 white £5.99**  
**50392 Black £5.99**



### MPK Fridge Vent Winter Cover

**50393 White £5.99**  
**50394 Black £5.99**



### MPK Fridge Vent Surface Fit

365 x 140

White  
**088160 £4.99**

Black  
**088161 £4.99**



### Dometic Flue Kit

**530060 £34.99**



## Terms & Conditions of Trading/Ordering

1. Where cheques are accepted (deposits for building only), Please make all cheques payable to Rainbow Conversions Ltd
2. For all orders that involve building and /or fitting, a 30% deposit is required before work commences
3. All orders for parts or accessories must be paid for in full, prior to goods being dispatched or upon collection
4. All "special orders" must be paid for in full prior to goods being ordered from our suppliers. "Special" means goods not normally stocked or supplied by Rainbow Conversions Ltd.
5. All mail order goods are subject to our post and packaging charges.
6. All goods returned are subject to a 15% handling charge.
7. All goods remain the property of Rainbow Conversions Ltd until paid for in full.
8. All goods are subject to availability of stock.
9. All prices shown include VAT @20% unless otherwise stated.
10. Although we always attempt to meet quoted deadlines, we are unable to guarantee delivery/collection dates due to operational constraints.
11. Any building and/or fitting orders which are cancelled by the customer after work has commenced, but has not been completed will result in the automatic loss of the 30% deposit. Any costs incurred to Rainbow Conversions Ltd above the 30% deposit must also be paid. Any order which is cancelled before work has commenced a refund may be given at our discretion. Excluding any special order parts.
11. Every effort has been taken to ensure the accuracy of the contents of our brochure. However, the company cannot be held responsible for any errors that may occur.
12. Due to a constant effort to improve our range of products and our prices, we reserve the right to alter specifications and prices without notice.
13. Upon placing an order, you are agreeing to these terms and conditions.
14. All Mail Order parcels must be checked for damages before signing for them. If Damage occurs please mark 'DAMAGED' on the carriers consignment note before accepting the goods.
15. Failure to do this voids insurance claims against the carriers and we (Rainbow conversions ltd) will not be held responsible for damage to goods whilst in transit.
16. All damage, shortages or omissions must be reported to us within 3 working days.
17. E&O.E.
18. These terms and conditions and details in our brochure are subject to change without prior notice.
19. These terms and conditions do not affect your statutory rights.

## How to find us

There is a link to a map on our website  
[www.rainbowconversions.co.uk](http://www.rainbowconversions.co.uk)

### Rainbow Conversions Ltd

Unit 1, Algores Way  
WISBECH  
Cambs. PE13 2TQ

Tel : 01945 585931

